

## **Material Safety Data Sheet**

WHMIS (Pictogra	ams) WHMIS (Classification)				HCS	
		E	HCS CI	LASS	: Corrosive liquid.	
Section 1. Ch	emica	I Product and Company Identification				
Product Name/ Trade name	Nor	Ammonia Floor Stripper	Code		NC 405	
Synonym	Floor	Floor Wax & Finish Stripper/Cleaner			Mixture.	
Chemical Family	Not av	Not available.		Date	5/10/2007	
Chemical Formula	Not ap	oplicable.	Print Date		5/10/2007	
Manufacturer/ Supplier		Network Services Company Schaumburg, IL 60173 (866) 481-6140	<u>In Case of</u> Emergency	For	Chemical Emergencies Contact Info Trac	
TSCA	TSCA I	nventory: All components listed or are exempt from listing.			(800) 535-5053	
DSL	DSL:	All components listed unless noted elsewhere on this MSDS		Prot	tective Clothing	

Section 2. Composition and Information on Ingredients				
Name	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sodium Metasilicate 2-Butoxyethanol	6834-92-0 111-76-2	5 - 10 0 - 5	Not available. <b>ACGIH (United States).</b> TWA: 20 ppm <b>OSHA (United States).</b> TWA: 50 ppm	Not available. ORAL (LD50): Acute: 1746 mg/kg [Rat].
Monoethanolamine	141-43-5	0 - 5	TWA: 3 ppm OSHA (United States). TWA: 6 ppm STEL: 6 ppm	Not available.
Sodium Hydroxide	1310-73-2	0 - 5	<b>OSHA (United States).</b> TWA: 2 mg/m <sup>3</sup>	Not available.
Sodium Xylene Sulfonate	1300-72-7	0 - 5	Not available.	ORAL (LD50): Acute: 650 mg/kg [Rat]. 5939 mg/kg [Mouse].
Sodium Tallate	61790-45-2	0 - 5	Not available.	Not available.
Anionic Surfactant	25155-30-0	0 - 5	Not available.	Not available.
Tetrasodium salt of ethylendiaminetetraacetic acid	64-02-8	0 - 5	Not available.	ORAL (LD50): Acute: 3030 mg/kg [Rat].
Perfume Oil	100-52-7	0 - 5	Not available.	Not available.
Dye	N/A	0 - 5	Not available.	Not available.

## Section 3. Hazards Identification

Potential Acute Health Effects	Corrosive to eyes and skin. Eye contact can result in corneal damage or blindness.
Potential Chronic Health Effects	Prolonged exposure may result in skin burns and ulcerations. Repeated or prolonged exposure to the substance can produce lung damage.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures		
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.	
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.	

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	N/A	
Special Remarks on Fire Hazards	N/A	
Special Remarks on Explosion Hazards	N/A	

Section 6. Accidental Release Measures		
Small Spill and Leak	Chemical anti-splash goggles.	
Large Spill and Leak	Corrosive liquid. Avoid to runoff to sewers and waterways. Wear Protective Clothing. Absorb with inert Material. Contact you local Emergency planning commission for further instructions.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Handling and Storage		
Precautions	Avoid contact with skin and eyes. Avoid breathing vapors or spray mists.	
Incompatibility	acids	
Storage	Keep only in the original container. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. For Institutional and Commercial Use	

## Section 8. Exposure Controls/Personal Protection Engineering Controls Good general ventilation should be sufficient to control airborne levels. Personal Protection Eyes Splash goggles. Body Body Boots. Disposable outer garments, or impervious garments of equal or greater protection. Respiratory Wear appropriate respirator when ventilation is inadequate. Hands Use chemical resistant, impervious gloves. Protective Clothing (Pictograms) Image: Control of the second sec

 Exposure Limits
 2-Butoxyethanol

 TWA: 25 (ppm)
 TWA: 50 (ppm) from OSHA (PEL)

 Sodium Hydroxide
 TWA: 2 (mg/m <sup>3</sup>) from OSHA (PEL)

 Monoethanolamine
 TWA: 3 (ppm)

 TWA: 6 (ppm) from OSHA (PEL)
 STEL: 6 (ppm)

Consult local authorities for acceptable exposure limits.

Section 9. Physica	al and Chemical Prop	perties		
Physical State and Appearance	Liquid		Odor	Characteristic.
Molecular Weight	Not applicable.		Taste	Not available.
рН	13 to 13.9 [Basic.]		Color	Grayish white.
Boiling/Condensation Point	100°C (212°F)			
Melting/Freezing Point	Not available.			
Critical Temperature	Not available.			
Instability Temperature	Not available.			
Specific Gravity	1.07 (Water = 1)			
Vapor Pressure	20mm Hg @ 68°F			
Vapor Density	>1 (Air = 1)			
Volatility	80			
VOC	Not available.			
Evaporation Rate	<1			
Dispersion Properties	See solubility in water.			
Solubility	not available			
The Product is:	Non-flammable.			
Auto-ignition Temperature	Not available.			
Flash Points	Not available.			
Flammable Limits				
Fire Hazards in Presence of Various Substances	Not available.			
Explosion Hazards in Presence of Various Substances	Not applicable			

## Section 10. Stability and Reactivity Data

Stability

The product is stable.

Incompatibility with Various Substances acids

Hazardous Decomposition not available Products

Section 11. Toxico	Section 11. Toxicological Information		
<b>Routes of Entry</b>	Absorbed through skin. Eye contact. Inhalation. Ingestion.		
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 140 mg/kg [Rat]. (Sodium Hydroxide). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).		
Acute Effects on Humans			
Eyes	Very hazardous in case of eye contact (corrosive). Eye contact can result in corneal damage or blindness.		
Skin	Very hazardous in case of skin contact (corrosive). Skin contact may produce burns.		
Inhalation	Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract.		
Ingestion	Very hazardous in case of ingestion. May be fatal if swallowed. May cause burns to mouth, throat, and stomach. May cause headache, dizziness, nausea, vomiting and diarhea.		
Chronic Effects on Humans	Prolonged exposure may result in skin burns and ulcerations. Repeated or prolonged exposure to the substance can produce lung damage.		
Special Remarks on Toxicity to Animals	No additional remark.		
Special Remarks on Chronic Effects on Humans	No additional remark.		

Section 12. Ecological Information			
Ecotoxicity	Not available.		
BOD5 and COD	Not available.		
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.		
Toxicity of the Products of Biodegradation	$\mathbf{f}$ as toxic as the original product.		
Special Remarks on the Products of Biodegradation	ne No additional remark.		

Section 13. Disposal Considerations		
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.	
Waste Stream	Not available.	

Section 14. Transport Information				
DOT (U.S.A) (Pictograms)		RROSIVE		
TDG Classification	8			
PIN UN, Proper Shipping Name, PG	s Shipping name: Co	prrosive liquids n.o.s. UNNA: 1760 PG: II		
Maritime Transportation	Not available.			
Special Provisions for Transport	Not available.			
Section 15. Other	Regulatory Inf	ormation and Pictograms		
WHMIS (Classification)	E			
Regulatory Lists	No products were	found.		
Other Regulations	OSHA: Hazardous	by definition of Hazard Communication Standard (29 CFR 1910.1200).		
Other Classifications	HCS (U.S.A.)	HCS CLASS: Corrosive liquid.		
	USA Regulatory Lists	SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard; Sodium Hydroxide: immediate health hazard SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol		
	DSD (EEC)	This product is not classified according to the EU regulations.		
	International Regulations Lists	No products were found.		
		* 3 0 0 0 0 0 0 0 0 0 0 0 0 0		
		ards, First Aid measures, and PPE associated with this product.		
Section 16. Other Validated by Regulator		07. Verified by Regulatory Affairs. Printed 5/10/2007.		
Information Contact		Network Services Company Mount Prospect, IL 60056 (866) 481-6140		

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 5/10/2007.

Non Ammonia Floor Stripper

Page: 6/6

**Continued on Next Page**